



Southeast Climate Adaptation Science Center 2019 Regional Science Symposium

Sharing Science to Support Climate Adaptation

November 13-15, 2019

New Orleans, LA

[SE CASC 2019 Regional Science Symposium website](#)

#Science4Climate

Symposium Summary

A regional science symposium was hosted by the Southeast Climate Adaptation Science Center on November 13-15, 2019 in New Orleans, LA. The **goals** of the symposium were to:

- support climate adaptation efforts by sharing science resources and tools and providing natural and cultural resource managers and regional experts with an opportunity to share lessons learned and best practices;
- discuss and identify gaps and needs for actionable science that meets the requirements of managers for on-the-ground application; and
- provide a venue for researchers, managers, and other resource people to share information about current activities, plans, and opportunities for collaboration.

The **audience** for this symposium consisted of approximately 160 researchers and managers working in the southeastern U.S (including the U.S. Caribbean) on climate impacts and adaptation for fish, wildlife, habitat, and cultural resources. It also included decision makers and practitioners from state fish and wildlife agencies, federal organizations, Tribal Nations and Tribal organizations, and non-governmental organizations involved with managing natural resources in the southeastern US. A full list of registered participants is provided in Appendix A.

In order to meet the above goals, the **symposium was organized** to foster sharing both within and across disciplines. Combined sessions were designed by Ryan Boyles (SE CASC) to provide a common baseline for the audience on the CASC program, its mission and future. A Poster Session and World Cafe Session were designed by Cari Furiness to foster interdisciplinary sharing and learning about complementary programs and initiatives. Breakout sessions were designed by individual session leads to allow smaller group discussions on climate impacts and adaptation that were more disciplinary in nature. Each breakout session was tasked with identifying ideas and science needs that SE CASC might help address. Extended lunch and networking sessions were incorporated to enable relationships and collaborations to establish and grow. A final combined session provided a venue for reporting back the key ideas and science needs from each topical session.

A couple of **overarching themes** emerged from the symposium:

1. There is a wide range of capacity for resource managers to access and use existing and emerging science. Deep, long-term partnerships between scientists and managers are needed in order to develop actionable science. The development and maintenance of such partnerships requires time, funding, and commitment beyond a single project.
2. Resource managers working to adapt to a changing climate often face multi-disciplinary challenges. Teams of social, physical, and biological scientists are often needed to work closely with managers to tackle these challenges.

These ideas, and those identified in each of the thematic sessions, will be incorporated into SE CASC science and engagement programs for the next several years.

A detailed agenda is provided in Appendix B with poster session abstracts in Appendix C and World Cafe topics in Appendix D. A brief overview of each session is provided below, including the key ideas and science needs identified in each session.

Session Summaries

Combined Session: History and Future of Science to Support Climate Adaptation

The first combined session was designed to reflect on the past and future of climate science and ecosystem management. David Reidmiller (Acting Director SE CASC and former Director, National Climate Assessment) provided context on the past and future of climate science, impact studies, and assessments in the region. Robin O'Malley (retiring Director of North Central CASC) provided his thoughts on where the CASCs have come, where they might go, and the broader challenges of helping fish, wildlife, and ecosystems adapt in a rapidly changing environment.

Combined Session: Perspectives from Partners in the Southeast

The second session, along with the first, was designed to set the stage for the symposium and remind the audience of SE CASC's mission for actionable science that addresses management needs. The panel provided perspectives on the unique challenges and roles that federal, state, tribal, and NGO resource managers face. Bruce Stein with National Wildlife Federation provided his perspective representing a national NGO that was also heavily involved in the formation of the CASC program. Casey Thornbrugh with United South and Eastern Tribes provided a perspective on the challenges and approaches that tribal nations face in adapting to climate change impacts. Beth Stys with the Florida Fish and Wildlife Conservation Commission spoke to the unique role of states in managing conservation lands and species. Janet Ertel spoke to the challenges that the US Fish and Wildlife Service is trying to address with a focus on the National Wildlife Refuge system. Each of these panelists helped to remind the audience that there exists a community of resource management agencies who have both common and unique challenges and needs for climate science and adaptation practices.

Common ideas expressed by the panel were:

- Partnerships are important to build AND maintain
- The community needs and understanding of climate impact, adaptation issues at landscape AND local community scales
- Gap: Evaluation/monitoring of actions

Combined Session: From Impacts to Adaptation

The third combined session was designed to illustrate the challenges and opportunities for moving beyond climate impact studies and pushing toward studies that foster adaptation decisions and implementation. Here, two SE CASC projects were presented - each with very different management partners and complexity. Adam Terando with the SE CASC described a multi-phase effort to better characterize the local climate risks that might be expected in the US Caribbean and how impact studies on at-risk amphibians is moving toward supporting broader goals of local and federal wildlife managers to design new conservation areas. Dr. Terando discussed challenges in working in a region that hasn't historically benefited from national climate modeling efforts, and challenges and benefits of working closely with resource managers and other disciplinary scientists, and how Hurricane Maria in 2018 provided new challenges but also the opportunity to better understand habitat and species resilience. Mitch Eaton with SE CASC presented on a multi-year project working with Cape Romain National Wildlife Refuge, Francis Marion National Forest, and the communities surrounding these conservation lands to explore how a wildlife refuge might plan for long term changes due to rising sea level. In this example, decision science played a major part, along with physical and ecological sciences, to explore strategies to adapt to longer-term ecosystem transformation. Dr. Eaton shared the realities when a large number of stakeholders, often with conflicting positions, are involved in the co-production of science and adaptation strategies.

Breakout Session: Southeast Conservation Adaptation Strategy

This session was led by Mallory Martin (US Fish and Wildlife Service) and Nils Peterson (NC State University) and featured presentations by Anna Smith (South Carolina Dept Natural Resources), Kathryn Jewell (NC State University), Liz Barber (Partnership for Gulf Coast Land Conservation), Bruce Stein (National Wildlife Federation), Eric Bush (US Army Corps of Engineers). This session reviewed the goals of SECAS current use of conservation blueprints. Discussion attempted to answer these questions: How do we identify the science needed to more effectively address emerging conservation challenges? How can we best share science with the conservation community?

Needs identified in this session include:

- To identifying the values and beliefs of different communities in terms of climate change, to gauge how best to meet people where they are
- A focus on science communication and making the research and results not only available to people, but in a form that people can relate to and understand, i.e. storytelling
- Expanding capacity of research teams to include a variety of disciplines, including social scientists and science communicators
- Develop a taxonomy of climate issues to address in order to better focus efforts

Breakout Session: Coastal resilience - Perspectives from the Social Sciences

This session was designed by Erin Seekamp (NC State University) and Karen McNeal (Auburn University) and featured presentations by Chris Burton (Auburn University), Ramesh Paudyal (Florida Fish and Wildlife Research Institute), Carole Nash (James Madison University), Gerard Kyle (Texas A&M University), and Lindsey Smart (NC State University). This session explored the types of applied research questions or topics social scientists explore that could be relevant to SE CASC constituents.

This session developed the following ideas to convey back to the larger SE CASC community of researchers and resource managers:

- Stakeholder opinions and perceptions can evolve through co-production. Changes in opinions and perceptions (about risk and adaptive actions) can occur with interactive, co-produced science. Facilitating and quantifying community and scientific values, past, present, and future, is necessary and can help better understand objective vulnerability vs. perceived vulnerability. For example, understanding historical human responses and varying rates of change through archeological records and oral histories are critical forms of co-produced science.
- Understanding stakeholder perceptions is critical for ensuring sustainable adaptation & management strategies. Social science to understand the perceptions and process by which perceptions are developed and maintained will be critical for ensuring sustainable adaptation & management strategies are successful, both at the individual and community levels. As researchers and implementers, we often do not know which socio-ecological issues or values to prioritize studying. Consulting communities and stakeholders first (social science!) is the best practice for success, and there seems to be recognition of and shift to inclusion and prioritization of social sciences across agencies.
- Engage stakeholders at the onset of the project and include trusted community members on research teams. For “success,” communities of stakeholders must be included from the onset and approached with trusted community members that appropriately acknowledge the nuances of communicating to diverse groups. Continue to remind stakeholders that their contributions are invaluable through iterative conversations, workshops, and communication of results along the way. Inviting stakeholders to the table in the beginning and continuing to display the unique value of stakeholder contribution is key to continuing productive partnerships.

Breakout Session: Sea level rise drivers of habitat transformation

This session was designed by Sarah Spiegler (NCSU/NOAA/NCSSC) and Alyssa Dausman (Water Institute of the Gulf) and featured presentations by Rene Collini (NOAA / Northern Gulf of Mexico Sentinel Site), Scott Hagen (Louisiana State University), Scott Covington (US Fish and Wildlife Service), Mel Landry (NOAA), and Jessi Parfait (TWI, United Houma Nation). This session explored the gaps in science relevant for adaptation to sea level rise including the needs at different scales of management to foster adaptation with attention to existing programs that include sea level rise as a focus.

This session identified the following issues that need to be addressed:

- Data is a problem - there exists too much in some cases, not enough in others, not the right type for many issues. Data is not communicated well and is often not actionable.
- We do not fully understand the best ways to incorporate stakeholders in data-gathering and decision-making conversations while still accomplishing goals in time- and money-effective ways?
- The community must shift understanding, and move toward a philosophy that “Science is not a final report” but an ongoing conversation.

Breakout Session: Ecosystem Services and Climate Change

This session was designed by Lydia Olander (Duke University) and Sarabeth Klueh-Mundy (Louisiana Department of Wildlife and Fish) and included presentations by Analie Barnett (The Nature Conservancy), Katie Warnell (Duke University), Anne Neale (US Environmental Protection Agency), Sarabeth Klueh-Mundy (Louisiana Department of Wildlife and Fish), Todd Baker (Louisiana

Department of Wildlife and Fish), and Duck Locascio (Louisiana Department of Wildlife and Fish). This session explored links between climate change and ecosystem services research including how to use climate change information to assess ecosystem services impacts and a group discussion about how this type of information could be useful for resource management and decision making.

This session identified the following issues:

- We need to think about how we consider ecosystems that provide natural and cultural services regarding climate change.
- We need to identify where and when restorations/protection efforts need to be targeted to maximize the chance of success for future conditions.
- Modeling approaches are useful, but data gaps and uncertainties remain notable issues for decision-making and management perspectives.

Breakout Session: The Evolving Nature of Wildland Fire: Can We Adapt to New Risks Posed by a Changing Climate and Landscape?

This session was designed by Adam Terando (SE CASC) and Jennifer Fawcett (NC State University) and featured presentations by Kevin Hiers (Tall Timbers Research Center), Jennifer Fawcett (NC State University), Jen Fill (University of Florida), John Kupfer (University of South Carolina), Tommy Cabe (Eastern Band of Cherokee Indians), and Jen Costanza (NC State University). This session explored how climate change and urbanization are changing the type and magnitude of risk that must be considered to manage wildland fires. Participants discussed these risks, how they could affect both wildfires and prescribed fire, and what science will be needed to help managers adapt.

This session identified the following issues for the SE CASC community to consider:

- Prescribed fire managers believe that climate change will increase in importance as a management challenge in the future, but they are also very uncertain about its effects.
- Mismatch exists between ecological importance of burning on small patch size versus operational incentives to focus on largest parcels to conduct burns. A valuation exercise could be helpful to address.
- The tradeoffs between air quality vs hazard reduction has not been quantified for use of prescribed fire

Breakout Session: Coastal and Estuarine Species

This session was designed by Miguel Garcia (US Fish and Wildlife Service) and Scott Wilson (US Geological Survey) and featured presentations by Robert Mayer (University of Puerto Rico-Aguadilla), Suresh Subedi (US Geological Survey), and Daniel Davila Casanova (Inter American University of Puerto Rico). This session explored the modeling and communication of coastal impacts to at-risk species and habitats.

Participants in this session identified the following issues:

- Sea level rise is not an isolated threat; accompanying changes such as hurricanes and accelerating rates will exacerbate the impacts and change the timeline for action.
- Changes are coming and ethical choices about species survival will need to be made in the future. Who will make those decisions and what will the criteria be?
- Threats will need to be framed and presented in ways that managers can understand and act upon.

Breakout Session: Grassland Landscapes

This session was designed by Dwayne Estes (Austin Peay State University) and Todd Jones-Farrand (US Fish and Wildlife Service) with presentations by Dwayne Estes (Southeastern Grasslands Initiative), Adam Datillo (Tennessee Valley Authority), JoVonn Hill (Mississippi State University), and Todd Jones-Farrand (US Fish and Wildlife Service). This session explored industry and cultural perspectives on species management to identify the gaps in science needed for effective grassland management especially in the face of changing climate and land use.

This session identified the following issues that need to be addressed:

- We need to revise our understanding of grassland landscapes, overcoming the myth that the eastern US was covered in dense forest prior to European settlement.
- There is a great need for consistency among grassland nomenclature, as well as a need for additional mapping of grassland landscapes, especially the documentation of the historical, pre-settlement landscape.
- There is a need for a collective database that can be shared among researchers and institutions can allow for greater research capacity and understanding of these diverse and resilient landscapes.
- Rights-of-way (ROW) corridors (roadsides, electric and gas transmission and distribution lines, and rail corridors) have provided an opportunity to advance grassland habitat conservation and better understand the resiliency of biodiversity in grassland landscapes. However, these ROW are inherently ephemeral, thus there is a need to identify and prioritize grassland conservation objectives.

Breakout Session: Cultural Resource Management: A Holistic, Integrated Approach to Conservation

This session was designed by Casey Thornbrugh (United South and Eastern Tribes) and Aranzazu Lascrain (NC State University) with presentations by Mitzi Reed (Mississippi Band of Choctaw), Mike LaVoie (Eastern Band of Cherokee Indians), Rosina Philippe (Atakapa-Ishak/Chawasha, Grand Bayou), and Peter Gaulke (US Forest Service). The discussion focused on learning from indigenous practices that have sustained communities, ecosystems, and cultural landscapes and the science/technical information needed to foster adaptation and protection of these resources to support Tribal/indigenous life-ways.

This session identified the following ideas for the SE CASC community:

- River/swamp cane is a multi-faceted, critically endangered species that is important to many tribal nations in the Southeast. This species has cultural, ecologic, economic, and adaptive importance. Research is needed on best and most efficient management practices, ecology and genetics of cane, and mapping the extent of current distribution.
- Other important research needs include response of disease and invasive species to climate change, major ecological shifts, species distribution shifts on tribal lands, phenology tracking, and vulnerability assessments of key species of cultural significance.
- Robust and effective partnerships with tribal nations are necessary to achieve the goals and the mission of SECASC and other US federal agencies.
- Two-way learning is needed. There are traditional knowledges about the natural history and management of culturally important species that inform management, persistence, and adaptation to global change.

- Terminology is important. Trust is important. Recognition of the validity of Traditional Ecological Knowledge is important. These are also prerequisites for meaningful change.

Breakout Session: Actionable Science for Forested and Woodland Ecological Restoration and Maintenance of Landscapes of the Southeastern U.S.

This session was designed by Emrys Treasure (US Forest Service) and Clint Moore (US Geological Survey) with presentations by Joanne Baggs (US Forest Service), Brian Crawford (University of Georgia), and Lars Pomara (US Forest Service). Presentations and facilitated discussion focused on current science and data/technology needs for supporting decision making regarding species, habitats, and landscapes. Participants examined issues related to scale, coarse-versus fine-filter assessment frameworks, role of science-management partnerships, and gaps in actionable science.

This session identified the following ideas for the SE CASC community to consider:

- Habitat condition, not just presence, is important for determining how ecosystems and species will respond to change (e.g. ecological integrity).
- Optimization and structured decision-making tools are needed to identify correct scale(s) to address problems (spatial, temporal, and biological scales).
- Involve partners early and often. This will ensure your product is appropriate (right scale), trustworthy, and usable. Conversations between partners and multiple stakeholders will shape the vision for how we manage the landscape. It will also ensure that we are developing tools and datasets to answer the right questions, are integrative on the front end, and are transferable.

Breakout Session: Inland and Freshwater Species

This session was designed by Mark Rogers (US Geological Survey), with presentations by Amanda Rosenberger (US Geological Survey), James Everett (Tennessee Valley Authority), and Mark Rogers (US Geological Survey). This session explored climate impacts and adaptation management challenges in freshwater aquatic systems, including biodiversity, aquatic plants, water quality & quantity, and fisheries.

This session identified the following issues that need to be addressed:

- Information is needed on changes to future hydro-period frequency, longevity, high and lows, and uncertainty. Natural flow regimes and temperatures are a synergy of these and the community needs to move away from only using minimum flows.
- Species and habitat resilience are largely unknown in freshwater systems.
- Ecosystem valuation and benefits, such as ecosystem services provided by conservation of mussels & crayfish, need to be developed and part of communication. Valuation science is needed to support robust and strategic planning in freshwater systems.

Breakout Session: The Ecological Role of Winter Temperature Extremes in the Southeast

This session was designed by Mike Osland (US Geological Survey) with presentations by Meg Lamont (US Geological Survey), Barry Keim (Louisiana State University), Phil Stevens (Florida Fish & Wildlife Conservation Commission), Kristen Hart (US Geological Survey), and Mike Osland (US Geological Survey). This session explored the ecological role of winter temperature extremes which control the northern range limits of many freeze-sensitive tropical species. Participants also explored the ecological and societal implications of the potential northward range expansion of tropical species in response to climate change.

This session identified the following to share with the wider SE CASC community:

- Winter temperature extremes control the northern range limits of many species in the SE (sea turtles, Burmese python, fish, and plants)
- There is a need for research that advances our understanding of the ecological role of freeze events.
- With warming winters, there's potential for the tropicalization of temperate ecosystem. Study is needed on ecological and societal implications.

Breakout Session: Evaluation of Adaptation Science and Management

This session was designed by Paul Armsworth (University of Tennessee) and Karen McNeal (Auburn University) with presentations by Anne Gold (University of Colorado) and Robin O'Malley (US Geological Survey). This session explored the following questions: How do we know if our science and adaptation is useful? How do we design evaluation criteria for both science projects and adaptation implementation? How do we monitor the impacts of our science and adaptation actions?

Participants identified the following to share with the SE CASC community:

- CASCs in general, and SE CASC in particular, need to be doing evaluation with emphasis on usefulness to the CASC stakeholder community. There are evaluation activities going on, but we need more.
- There are many models and approaches that could be used, including opportunities to learn from other programs' experiences.

Combined Session: Poster and Tools Networking

Thirty-five (35) participants presented posters during a session designed to foster networking among students, researchers, managers, and regional experts as well as to showcase their research and resources and share management-relevant tools. A table of poster participants and summaries is provided in Appendix C.

Combined Session: World Cafe

A World Cafe session was designed to facilitate directed conversations and knowledge sharing organized around specific topics and around specific organizations. Participants chose which tables they visited based on their individual interests. Participants rotated after 15 minutes.

World Cafe Themes included:

- Major Modes of Science Communication
- Evaluation of Adaptation Science and Management Focus Groups
- Southeast Regional Partnership for Planning and Sustainability
- Social Science Idea Generators
- Gulf Coast Ecosystem Restoration Council
- USDA Southeast Climate Hub
- NOAA MS-AL Sea Grant Consortium
- American Society of Adaptation Professionals
- Southern Climate Impacts Planning Program

A detailed directory of World Cafe topics is provided in Appendix D.

Next Steps

The ideas and scientific gaps and needs identified in the combined and breakout sessions will inform future science priorities for SE CASC. Feedback from participants will inform the goals and structure of future SECASC regional science symposiums.

In total we received a 28% response rate for the Post Symposium Survey, a total of 34 responses. Overall attendees found the networking session, the world cafe and the breakout sessions the most valuable. Attendees appreciated having a 2-hour lunch and the space to explore and obtain food on their own. There was no general consensus on what parts of the symposium were least valuable, but some comments stated that it was “unclear how to identify the new directions that SECASC was interested in”, and some breakout sessions were “too specific on specific studies and had little interaction/discussion with managers”. The plenary session was also reported as one of the least valuable sessions.

At the next symposium, respondents would like to see: more time built in for questions; a funding opportunities session; intentional/planned interaction opportunities for managers and scientists; emerging technology for the field; explicit inclusion of women and racial/ethnic minorities in the plenaries and breakout sessions; more time for the World Cafe session; reconvening/having Day 2 Plenary Sessions in the morning instead of the afternoon; increased time for small group discussion; and no more than 3 concurrent sessions. Minor suggestions include having printed agendas available; blank name tags at registration; and less competing time slots for sessions.

Suggested dates for the 2021 symposium included: November, September, February, January and May. In the future, respondents would like to see more sessions related to cultural resources and social science; science communication and potential partnerships; climate adaptation planning for Tribal Nations, States, Cities, & Rural Communities; the interactions between land use and management/ecological function; more perspectives from resource policy makers and implementation; and climate impacts on water resource management. Overall respondents thought that the symposium included a diverse variety of topics and sessions, and would attend a similar Symposium in 2021.

--

Appendix A: Participant directory

Appendix B: Detailed Agenda

Appendix C: Poster Session abstracts

Appendix D: World Cafe topics

Participant Directory				
First Name	Last Name	Organization/Agency/Affiliation	Email	Pronoun
Derek	Aday	NC State University	ddaday@ncsu.edu	He/Him/His
Layne	Anderson	South Carolina Army National Guard	andersonll@tag.scmd.state.sc.us	He/Him/His
Paul	Armsworth	University of Tennessee	p.armsworth@utk.edu	He/Him/His
Joanne	Baggs	Southern Region, USDA Forest Service	joanne.baggs@usda.gov	She/Her/Hers
Liz	Barber	Partnership for Gulf Coast Land Conservation	liz.barber@gulfpартnership.org	She/Her/Hers
Analie	Barnett	The Nature Conservancy, Eastern Conservation Science	abarnett@tnc.org	She/Her/Hers
Brie	Bernik	Gulf Coast Ecosystem Restoration Council	brie.bernik@restorethegulf.gov	She/Her/Hers
Udaykiran	Bhuma	Southern University A&M college	udaykiran_bhuma_00@subr.edu	He/Him/His
Rachel	Billiot-Bruleigh	N/A	Rae.billiotbruleigh@gmail.com	She/Her/Hers
David	Blalock	Department of Defense	david.c.blalock2.civ@mail.mil	He/Him/His
Steven	Bochinski	self	bsteveb@gmail.com	He/Him/His
Jared	Bowden	North Carolina State University	jhbowden@ncsu.edu	He/Him/His
Ryan	Boyles	US Geological Survey	rboyles@usgs.gov	He/Him/His
Vincent	Brown	Southern Climate Impacts Planning Program	vbrow31@lsu.edu	He/Him/His
Christopher	Burton	Auburn University, Department of Geosciences	cgburton@auburn.edu	He/Him/His
Eric	Bush	US Army Corps of Engineers	eric.l.bush@usace.army.mil	He/Him/His
Ashley	Bussell	Lower Mississippi Gulf Water Science Center - USGS	abussell@usgs.gov	She/Her/Hers
DEBRA M	BUTLER	UMass Boston School for the Environment	debra.butler001@umb.edu	She/Her/Hers
James "Tommy"	Cabe	Eastern Band of Cherokee Indians, Natural Resource Office	Tommcabe@nc-chokeee.com	He/Him/His
Janet	Cakir	National Park Service, Southeast Region	janet_cakir@nps.gov	She/Her/Hers

Sherry	Callaway	Limitless Vistas, Inc.	scallaway@limitlessvistas.org	She/Her/Hers
Shawn	Carter	USGS/LRMA/NCASC	scarter@usgs.gov	He/Him/His
Jennifer	Cartwright	USGS Lower Mississippi-Gulf Water Science Center	jmcart@usgs.gov	She/Her/Hers
Haven	Cashwell	Auburn University, Department of Geosciences	hjc0023@tigermail.auburn.edu	She/Her/Hers
Michael	Caslin	North Carolina State University	mwcaslin@ncsu.edu	He/Him/His
Renee	Collini	NGOM Sentinel Site Cooperative/MSU/MASGC	r.collini@msstate.edu	She/Her/Hers
Angela	Comeaux	Rebellion, as well as an Indigenous person with Tsalagi, Choctaw, and	Angelagcomeaux@gmail.com	She/Her/Hers
Kimberly	Cooke	Lake Pontchartrain Basin Foundation	kimberly@saveourlake.org	She/Her/Hers
Jen	Costanza	NC State University	jkcostan@ncsu.edu	She/Her/Hers
Steph	Courtney	Auburn University	slc0059@auburn.edu	She/Her/Hers
Scott	Covington	U.S. Fish and Wildlife Service	scott_covington@fws.gov	He/Him/His
Brian	Crawford	University of Georgia	bcrawford515@gmail.com	He/Him/His
James	Cronin	U.S. Geological Survey	jcronin@usgs.gov	He/Him/His
Leah	Dale	Cherokee Nation Technologies in support of U.S. Geological Survey	ldale@contractor.usgs.gov	She/Her/Hers
Hali	Dardar	Historypin	hali.dardar@historypin.org	She/Her/Hers
Adam	Dattilo	Tennessee Valley Authority	ajdattilo@tva.gov	He/Him/His
Alyssa	Dausman	The Water Institute	adausman@thewaterinstitute.org	She/Her/Hers
Daniel	Davila	PRBCO/Universidad Interamericana/DRNA	coquidanny@gmail.com	He/Him/His
Chantal	deFelice	Independent	chantalmdefelice@gmail.com	She/Her/Hers
Kathie	Dello	State Climate Office of North Carolina/NC State University	kddello@ncsu.edu	She/Her/Hers
Admin	Director	Ten Sights Institute of Social Cohesion	subadm101@yaHoo.com	He/Him/His
Lori	Dunn	Sierra Club South Carolina Chapter	lori.dunn@sierraclub.org	She/Her/Hers

Mitchell	Eaton	SE CASC	meaton@usgs.gov	He/Him/His
John	Eckman	Shenandoah Valley	john@sustain.us.com	He/Him/His
Janet	Ertel	USFWS	janet_ertel@fws.gov	She/Her/Hers
Dwayne	Estes	Southeastern Grasslands Initiative	dwayne.estes@segrasslands.org	He/Him/His
James	Everett	Tennessee Valley Authority	jheverett@tva.gov	He/Him/His
Jennifer	Fawcett	NC State University	jlevans3@ncsu.edu	She/Her/Hers
Jennifer	Fill	University of Florida	jfill@ufl.edu	She/Her/Hers
Mark	Ford	National Park Service	mark_ford@nps.gov	He/Him/His
Cari	Furiness	NC State University/Southeast Climate Adaptation Science Center	cari_furiness@ncsu.edu	She/Her/Hers
Miguel	Garcia-Bermudez	US Fish and Wildlife Service	miguel_garcia-bermudez@fws.gov	He/Him/His
Peter	Gaulke	USDA Forest Service	peter.gaulke@usda.gov	He/Him/His
Wendy	Graham	University of Florida Water Institute	wgraham@ufl.edu	She/Her/Hers
Marguerite	Green	SPROUT NOLA	margueritegreen@gmail.com	She/Her/Hers
Scott	Hagen	Louisiana State University	shagen@lsu.edu	He/Him/His
steve	harris	Hunt Forest Products	steve.harris@huntforpro.com	He/Him/His
STEVE	HARRIS	Hunt Forest Products	Steve.Harris@huntforpro.com	He/Him/His
Kristen	Hart	USGS	kristen_hart@usgs.gov	She/Her/Hers
Erica	Henry	NC State University	ehenry@ncsu.edu	She/Her/Hers
Kevin	Hiers	Tall Timbers Research Station	jkhiers@talltimbers.org	He/Him/His
JoVonn	Hill	Mississippi Entomological Museum/Mississippi State University	jgh4@msstate.edu	He/Him/His
Todd	Hopkins	US Fish & Wildlife Service	todd_hopkins@fws.gov	He/Him/His
Melody	Hunter-Pillion	North Carolina State University	mhunter@ncsu.edu	She/Her/Hers

Alessandra	Jerolleman	Lowlander Center / Jacksonville State University	agazzo@gmail.com	She/Her/Hers
Michelle	Jewell	NC State Department of Applied Ecology	majewell@ncsu.edu	They/Them/Theirs
Kathryn	Jewell	North Carolina State University	kljewell@ncsu.edu	She/Her/Hers
Kate	Jones	NCSU	kejones8@ncsu.edu	She/Her/Hers
Todd	Jones-Farrand	USFWS	david_jones-farrand@fws.gov	He/Him/His
Madhusudan	Katti	NC State University	mkatti@ncsu.edu	He/Him/His
Barry	Keim	Southern Climate Impacts Planning Program	keim@lsu.edu	He/Him/His
Rachel	Kirpes	USFWS	rachel.kirpes@gmail.com	She/Her/Hers
Sarabeth	Klueh-Mundy	Louisiana Department of Wildlife and Fisheries	sklueh-mundy@wlf.la.gov	She/Her/Hers
John	Kupfer	Univ. of South Carolina	kupfer@sc.edu	He/Him/His
Gerard	Kyle	Texas A&M University	gerard@tamu.edu	He/Him/His
Gerard	Kyle	Texas A&M University	gerard@tamu.edu	He/Him/His
Tricia	Kyzar	University of Florida, Urban and Regional Planning	tkyzar@ufl.edu	She/Her/Hers
Andy	Lade	CPRA	andylade@gmail.com	He/Him/His
Margaret	Lamont	US Geological Survey	mlamont@usgs.gov	She/Her/Hers
Mel	Landry	NOAA	mel.landry@noaa.gov	He/Him/His
Julien	Lartigue	NOAA RESTORE Science Program	julien.lartigue@noaa.gov	He/Him/His
Aranzazu	Lascrain	SE Climate Adaptation Science Center	alascur@ncsu.edu	She/Her/Hers
Haofan	Li	North Carolina State University	hli63@ncsu.edu	She/Her/Hers
Donald	Locascio	Louisiana Dept. of Wildlife and Fisheries	dlocascio@wlf.la.gov	He/Him/His
Vanessa	Marrero	Department of Natural and Environmental Resources	vimarrero.czm@gmail.com	She/Her/Hers
Mallory	Martin	US Fish and Wildlife Service	mallory_martin@fws.gov	He/Him/His

Lindsay	Maudlin	Auburn University	lcm0046@auburn.edu	She/Her/Hers
Robert J.	Mayer	Universidad de Puerto Rico en Aguadilla	robert.mayer@upr.edu	He/Him/His
Emily	Mazur	National Academies' Gulf Research Program	emilynmazur@gmail.com	She/Her/Hers
Alexa	McKerrow	U. S. Geological Survey	amckerrrow@usgs.gov	She/Her/Hers
Karen	McNeal	Auburn University	karen.mcneal123@gmail.com	She/Her/Hers
Roberto	Mera	North Carolina State University	rjmera@ncsu.edu	He/Him/His
Sarah	Midolo	USGS	smidolo@ncsu.edu	She/Her/Hers
Steve	Midway	Louisiana State University	smidway@lsu.edu	He/Him/His
Lise	Montefiore	North Carolina State University	lrmontef@ncsu.edu	She/Her/Hers
Clint	Moore	USGS / Georgia Cooperative Fish and Wildlife Research Unit	ctmoore@uga.edu	He/Him/His
Brent	Murry	US Fish and Wildlife Service	brent_murry@fws.gov	He/Him/His
Andrea	Nasca	Kiss the Ground, Extinction Rebellion, WHIV Climate Crisis Radio	andreamnasca@gmail.com	She/Her/Hers
Carole	Nash	James Madison University	nashcl@jmu.edu	She/Her/Hers
Anne	Neale	US EPA	Neale.anne@epa.gov	She/Her/Hers
Frances	O'Donnell	Auburn University	fco0002@auburn.edu	She/Her/Hers
Robin	O'Malley	USGS North Central Climate Adaptation Science Center	romalley@usgs.gov	He/Him/His
Lydia	Olander	Nicholas Institute, Duke University	lydia.Olander@duke.edu	She/Her/Hers
Michael	Osland	U.S. Geological Survey	mosland@usgs.gov	He/Him/His
Kelowna	Ostwald	Lake Pontchartrain Basin Foundation	kelowna@saveourlake.org	She/Her/Hers
Niki	Pace	Louisiana Sea Grant	nlpace@lsu.edu	She/Her/Hers
Jessica	Parfait	The Water Institute of the Gulf	jparfait@thewaterinstitute.org	She/Her/Hers
Joanna	Parkman	Duke University	jo.parkman@gmail.com	She/Her/Hers

Ramesh	Paudyal	Florida Fish and Wildlife Conservation Commission	Ramesh.Paudyal@MyFWC.com	He/Him/His
Margaret	Pearce	Independent cartographer	margaret@studio1to1.net	She/Her/Hers
Deja	Perkins	North Carolina State University	djperkin@ncsu.edu	She/Her/Hers
Nils	Peterson	NC State University	nils_peterson@ncsu.edu	He/Him/His
Rosina	Philippe	Atakapa-Ishak/Chawasha, Grand Bayou Village	rpatakapa@yahoo.com	She/Her/Hers
Emily	Pindilli	US Geological Survey	epindilli@usgs.gov	She/Her/Hers
Lars	Pomara	Southern Research Station, US Forest Service	lazarus.y.pomara@usda.gov	He/Him/His
Emily	Powell	National Wildlife Federation	powelle@nwf.org	She/Her/Hers
Bryan	Printup	Tuscarora Environment Office (HETF)	bprintup@hetf.org	He/Him/His
Emily	Reed	North Carolina State University	emreed@ncsu.edu	She/Her/Hers
Mitzi	Reed	Mississippi Band of Choctaw	MReed@choctaw.org	She/Her/Hers
David	Reidmiller	U.S. Geological Survey / NE + SE Climate Adaptation Science Centers	dreidmiller@usgs.gov	He/Him/His
Martha	Reiskind	North Carolina State University Department of Biological Sciences	mbreiski@ncsu.edu	She/Her/Hers
Dustin	Reuther	RESTORE/Tulane	dustin.reuther@restorethegulf.gov	He/Him/His
Virginia	Richard	SouthWings	virginia@southwings.org	She/Her/Hers
Pedro	Rios	El Yunque National Forest, US Forest Service	pedro.rios@usda.gov	They/Them/Theirs
Brian	Roberts	Louisiana Universities Marine Consortium (LUMCON)	broberts@lumcon.edu	He/Him/His
Mark	Rogers	TN Cooperative Fishery Research Unit	mwrogers@tntech.edu	He/Him/His
Amanda	Rosenberger	Tennessee Cooperative Fishery Research Unit	arosenberger@tntech.edu	She/Her/Hers
Ryann	Rossi	Louisiana Universities Marine Consortium	rrossi@lumcon.edu	She/Her/Hers
Jacob	Rudolph	North Carolina State University	rudolphjc@icloud.com	He/Him/His
Karen	Schlatter	University of Florida Water Institute	wgraham@ufl.edu	She/Her/Hers

Aleutia	Scott	Jean Lafitte National Historical Park & Preserve	Aleutia_Scott@nps.gov	She/Her/Hers
ERIN	SEEKAMP	NC STATE UNIVERSITY	ERIN_SEEKAMP@NCSTU.EDU	She/Her/Hers
Shubhi	Sharma	Duke University	ss971@duke.edu	She/Her/Hers
Ashlyn	Shore	Southeast Climate Adaptation Science Center	arshore@ncsu.edu	She/Her/Hers
Lindsey	Smart	NC State University	lssmart@ncsu.edu	She/Her/Hers
Anna	Smith	South Carolina Department of Natural Resources	smithah@dnr.sc.gov	She/Her/Hers
April	Sperflage	CSU	aprilsp@nps.gov	She/Her/Hers
Sarah	Spiegler	NC Sentinel Site Cooperative and NC Sea Grant	sespiegl@ncsu.edu	She/Her/Hers
Bruce	Stein	National Wildlife Federation	steinb@nwf.org	He/Him/His
Philip	Stevens	Commission, Fish and Wildlife Research Institute	Philip.Stevens@MyFWC.com	He/Him/His
Greg	Steyer	USGS	steyerg@usgs.gov	He/Him/His
Chris	Stone	South Carolina Army National Guard	stonec@tag.scmd.state.sc.us	He/Him/His
April	Strid	Consultant	aprilstrid@gmail.com	She/Her/Hers
Beth	Stys	Florida Fish and Wildlife Conservation Commission	beth.stys@myfwc.com	She/Her/Hers
Suresh	Subedi	USGS	subedi.suresh@gmail.com	He/Him/His
Jennifer	Summers	University of Tennessee Knoxville	jennsummers19@gmail.com	She/Her/Hers
Rachel	Sussman	NCSU Global Change Fellow	rsussma@ncsu.edu	She/Her/Hers
Lily	Swanbrow Becker	American Society of Adaptation Professionals	lswanbrowbecker@adaptpros.org	She/Her/Hers
Amy	Teller	The Data Center / Gulf Research Program	asteller3@gmail.com	She/Her/Hers
Adam	Terando	US Geological Survey - SE Climate Adaptation Science Center	aterando@usgs.gov	He/Him/His
Casey	Thornbrugh	United South and Eastern Tribes Inc./SE CASC	CThornbrugh@USETINC.ORG	He/Him/His
Kathe	Todd-Brown	University of Florida	kathe.toddbrown@essie.ufl.edu	She/Her/Hers

Jashira	Torres	NC State University	jmtorre2@ncsu.edu	She/Her/Hers
Emrys	Treasure	USDA Forest Service - National Forest System - Southern Region	emrys.treasure@usda.gov	He/Him/His
Jill	Trepanier	Louisiana State University/ Geography and Anthropology	jtrep3@lsu.edu	She/Her/Hers
Morgan	Varner	Tall Timbers Research Station	mvarner@talltimbers.org	He/Him/His
Christine	Verdin	Pointe-Au-Chien Indian Tribe	xxx@xxx.edu	She/Her/Hers
Jelena	Vukomanovic	NC State University	jvukoma@ncsu.edu	She/Her/Hers
Zian	Wang	Duke University	zw156@duke.edu	She/Her/Hers
Rebecca	Ward	NC State University / NC State Climate Office	rebecca_ward@ncsu.edu	She/Her/Hers
Katie	Warnell	Nicholas Institute for Environmental Policy Solutions, Duke University	katie.warnell@duke.edu	She/Her/Hers
Julie	Whitbeck	NPS: Jean Lafitte National Historical Park & Preserve	julie_whitbeck@nps.gov	She/Her/Hers
James	Wilkins	Louisiana Sea Grant Law & Policy Program	jwilkins@lsu.edu	He/Him/His
Scott	Wilson	USGS Wetland and Aquatic Research Center	wilsons@usgs.gov	He/Him/His
Kacie	Wright	CWPPRA Outreach Program (USGS Contractor)	kmwright@contractor.usgs.gov	She/Her/Hers
Caitlin	Young	NOAA RESTORE Science Program	caitlin.young@noaa.gov	She/Her/Hers

Session Theme:	Landscapes	Aquatic Habitat	Coastal	Human Dimensions
----------------	------------	-----------------	---------	------------------



Southeast Climate Adaptation Science Center Regional Science Symposium

Sharing Science to Support Climate Adaptation

New Orleans Marriott, 555 Canal Street, New Orleans, LA 70130

Wednesday November 13, 2019

<i>Time</i>	<i>Session Title/Leads</i>	<i>Speakers</i>	<i>Session Description</i>	<i>Location</i>
7:30 AM	Registration/Coffee			Galerie 4 Foyer
8:00 AM	Combined Session: Welcome and Overview	Derek Aday (NCSU), Ryan Boyles (USGS)	Welcome to Symposium. Describe objectives, structure, outputs/products of the symposium.	Galleries 4-5-6
8:30 AM	Combined Session: History and Future of Science to Support Climate Adaptation	David Reidmiller (USGS), Robin O'Malley (USGS)	Historical perspective on climate adaptation for natural resources and foster ideas on where it should go in the future.	Galleries 4-5-6
9:15 AM	Combined Session: Perspectives from Partners in the Southeast	Bruce Stein (NWF), Casey Thornbrugh (United South and Eastern Tribes), Beth Stys (FL Fish and Wildlife Commission), Janet Ertel (US FWS)	What aspects of the exposure-impacts-adaptation continuum do management partners view as most important to their work? What science/tools would best support their work?	Galleries 4-5-6
10:00 AM	Break			Galerie 4 Foyer
10:30 AM	Breakout Session 1			
	Southeast Conservation Adaptation Strategy <i>Leads:</i> Mallory Martin (US FWS), Nils Peterson (NCSU),	Mallory Martin (US FWS), Anna Smith (South Carolina DNR), Kathryn Jewell (NCSU), Liz Barber (Partnership for Gulf Coast Land Conservation), Bruce Stein (NWF), Eric Bush (US Army COE)	Review SECAS goals and current use of Conservation blueprints. How do we identify the science needed to more effectively address emerging conservation challenges? And how can we best share the science with the conservation community?	Galerie 3
	Coastal Resilience: Perspectives from the Social Sciences <i>Leads:</i> Erin Seekamp (NCSU), Karen McNeal (Auburn)	Chris Burton (Auburn), Ramesh Paudyal (FL Fish and Wildlife Research Institute), Carole Nash (James Madison), Gerard Kyle (Texas A&M), Lindsey Smart (NCSU)	Session will focus on the types of applied research questions or topics social scientists explore that could be relevant to SE CASC constituents. Presenters will be available for additional consultation during the World Cafe.	Galerie 1
	Sea Level Rise Drivers of Habitat Transformation <i>Leads:</i> Sarah Spiegler (NCSU/NOAA/NCSSC), Alyssa Dausman (Water Inst of the Gulf)	Rene Collini (NOAA/NGOMSSC), Scott Hagen (LSU), Scott Covington (FWS), Mel Landry (NOAA), Jessi Parfait (TWI, United Houma Nation)	Identify the gaps in science relevant for adaptation to sea level rise. What is needed, at which scales of management, to foster adaptation especially given the current focus of existing programs that include sea level rise as a focus.	Galerie 2
	Ecosystem Services and Climate Change <i>Leads:</i> Lydia Olander (Duke), Sarabeth Klueh-Mundy (LA DWF)	Analie Barnett (The Nature Conservancy), Katie Warnell (Duke), Anne Neale (EPA), Sarabeth Klueh-Mundy (LA DWF), Todd Baker (LA DWF), Duck Locascio (LA DWF)	This session will focus on links between climate change and ecosystem services research. Presentations on using climate change information to assess ecosystem services impacts, and group discussion about how this type of information can be useful for resource management and decision making.	Balcony J

12:00 PM	Lunch (on your own) 1:00 – 2:00 PM Drop-in: Evaluation of Adaptation Science and Management Focus Groups for Science Users and Science Producers			Balcony J
2:00 PM	Combined Session: From Impacts to Adaptation	Adam Terando (USGS), Mitch Eaton (USGS)	How do we move from understanding impacts to actually making adaptation decisions? This session will use examples of CASC-funded projects to represent a range of complexities and decision contexts to share lessons learned.	Galleries 4-5-6
4:00 PM	Break / Poster and Tools Set-up			
4:30-6:00 PM	Poster/Tools Networking Session: Sharing Science and Tools to Support Adaptation to Climate and Land Use Change		Students, researchers, managers, partners will present posters and demonstrations depicting current research and management-relevant tools.	Galleries 1-2-3

Thursday November 14, 2019				
7:30 AM	Registration/Coffee			Galerie 4 Foyer
8:00 AM	Breakout Session 2			
	The Evolving Nature of Wildland Fire: Can We Adapt to New Risks Posed by a Changing Climate and Landscape? <i>Leads:</i> Adam Terando (USGS), Jennifer Fawcett (NCSU)	Kevin Hiers (Tall Timbers), Jennifer Fawcett (NCSU), Jen Fill (UF), John Kupfer (U of SC), Tommy Cabe (Eastern Band of Cherokee Indians), Jen Costanza (NCSU)	Climate change and urbanization are changing the type and magnitude of risk that must be considered to manage wildland fires. What are these risks, how could they affect both wildfires and prescribed fire, and what science will be needed to help managers adapt?	Galerie 2
	Coastal and Estuarine Species <i>Leads:</i> Miguel Garcia (US FWS), Scott Wilson (USGS)	Robert Mayer (University of Puerto Rico-Aguadilla), Suresh Subedi (USGS), Daniel Davila Casanova (Inter American University of PR)	This session will focus on modeling and communication of coastal impacts to at-risk species and habitats - from research to management decisions.	Balcony J
	Grassland Landscapes <i>Leads:</i> Dwayne Estes (SGI), Todd Jones-Farrand (US FWS)	Dwayne Estes (Southeastern Grasslands Initiative), Adam Datillo (TVA), JoVonn Hill (MS State University), Todd Jones-Farrand (US FWS)	Incorporate industry and cultural perspectives on species management to identify the gaps in science needed for effective grassland management especially in the face of changing climate and land use.	Galerie 1
	Cultural Resource Management: A Holistic, Integrated Approach to Conservation <i>Leads:</i> Casey Thornbrugh (USET), Aranzazu Lascurain (NCSU)	Mitzi Reed (MS Band of Choctaw), Mike LaVoie (Eastern Band of Cherokee Indians), Rosina Philippe (Atakapa-Ishak/Chawasha, Grand Bayou); Peter Gaulke (USFS)	For this session we wish to learn from indigenous practices that have sustained communities, ecosystems, and cultural landscapes and discuss the science/technical information needs to foster adaptation and protection of these resources to therefore support Tribal/indigenous life-ways.	Galerie 3
9:30 AM	Break			Galerie 4 Foyer
10:00 AM	World Café <i>Leads:</i> Cari Furiness (NCSU), David Reidmiller (USGS)		This session will include facilitated tables around topics and questions of relevance to the science and management communities at the Symposium, and around relevant research programs and initiatives.	Galleries 4-5-6

12:00 PM	Lunch (on your own)			
2:00 PM	Breakout Session 3			
	Actionable Science for Forested and Woodland Ecological Restoration and Maintenance of Landscapes of the Southeastern U.S <i>Leads:</i> Emrys Treasure (USFS), Clint Moore (USGS)	Joanne Baggs (US Forest Service), Brian Crawford (Univ of GA), Lars Pomara (US Forest Service)	Presentations and facilitated discussion regarding current science and data/technology needs for supporting decision making regarding species, habitats, and landscapes. Examine issues related to scale, coarse- versus fine-filter assessment frameworks, role of science-management partnerships, and gaps in actionable science.	Galerie 2
	Inland and Freshwater Species <i>Lead:</i> Mark Rogers (USGS/TN Tech)	Amanda Rosenberger (USGS), James Everett (TVA), Mark Rogers (USGS)	This session will investigate climate impacts and adaptation management challenges in freshwater aquatic systems, ranging from biodiversity, aquatic plants, water quality & quantity, to fisheries.	Balcony J
	The Ecological Role of Winter Temperature Extremes in the Southeast <i>Lead:</i> Mike Osland (USGS)	Meg Lamont (USGS), Barry Keim (LSU), Phil Stevens (Florida Fish & Wildlife Conservation Commission), Kristen Hart (USGS), Mike Osland (USGS)	In the Southeast, winter temperature extremes control the northern range limits of many freeze-sensitive tropical species. This session will examine the ecological role of winter temperature extremes in the region as well as the ecological and societal implications of the potential northward range expansion of tropical species in response to climate change.	Galerie 1
	Evaluation of Adaptation Science and Management <i>Leads:</i> Paul Armsworth (UT), Karen McNeal (Auburn)	Anne Gold (CIRES, University of CO-Boulder), Robin O'Malley (USGS)	How do we know if our science and adaptation is useful? How do we design evaluation criteria for both science projects and adaptation implementation? How do we monitor impacts of our science and adaptation actions?	Galerie 3
3:30 PM	Break			
4:00 PM	Combined Session: Moving Priorities Forward	David Reidmiller (USGS)	Report out on gaps identified in the Breakout Sessions and Combined Sessions. Connect back to partner perspectives and map to potential science initiatives.	Galerie 4-5-6
5:30 PM	Adjourn			

Friday November 15, 2019				
Time	Session Title	Lead	Session Description	Location
8:30 AM	Working Group: Stakeholder Advisory Committee	David Reidmiller (USGS), Ryan Boyles (USGS)	SAC members will reflect on meeting, advise on science priorities for coming years	Galerie 4
11:15 AM	Field Trip to Barataria Preserve, Jean Lafitte National Historical Park and Preserve	Julie Whitbeck (NPS)	Experience some of Louisiana's wetlands by boat, and learn about climate impacts and research. We will depart from the hotel at 11:15 am and return to the hotel by 2:45 pm. (Additional Cost)	Meet in hotel lobby

SE CASC Regional Science Symposium Poster & Tools Session Table Assignments

Table Number	Presenter Name	Presentation Title/Abstract
17	Jennifer Cartwright, USGS Lower Mississippi-Gulf Water Science Center (Professional)	<p>Title: Islands of rare-plant biodiversity in the southeast: new approaches for climate-change assessments</p> <p>The southeastern U.S. landscape contains a variety of small, unusual geologic and topographic features such as sinkholes, springs, bedrock outcrops, and cliff overhangs. Because of their small size, such landscape features are commonly overlooked in regional-scale assessments of climate-change effects on ecosystems. However, these landscape features often function as hotspots of rare-species biodiversity, particularly for plants and invertebrates. Because these insular ecosystems are geographically small, spatially isolated, and anchored to the landscape by geologic and topographic features, assessing and mitigating climate-related risks to biodiversity may require different sets of tools and approaches than are commonly applied to large-scale ecosystems. A recently published framework for these ecosystems builds on many decades of site-level investigations in individual insular ecosystems and proposes that changes in physical stress levels (e.g. hydrologic variability, temperature extremes, nutrient limitation, or soil geochemistry) which tip the scales between rare plants and their competitors may be a principal way in which regional climate change translates to habitat alteration for many rare species. Local-scale threats to individual species or whole ecosystems can be anticipated using this framework, allowing the design of targeted strategies for rare-species conservation.</p>
23	Frances O'Donnell, Auburn University (Professional)	<p>Title: Developing a scientific basis for climate-informed stream restoration projects</p> <p>Stream restoration projects reclaim riparian ecosystems from anthropogenic degradation and mitigate water pollution. In the short-term after new projects are constructed, they are vulnerable to setbacks and failures if large precipitation events occur while vegetation is still establishing. In the long-term, restored streams must withstand high flow events of increasing magnitude and frequency. Our research seeks to understand how restored streams respond to high flows associated with extreme precipitation events. We are working to better understand how the timing and characteristics of vegetation planting during a restoration affect the development of bank stability during the vegetation establishment period. We grew common riparian species in streambank microcosms and measured soil stability parameters at four and eight months after planting using root pull-out tests and Iowa Borehole Shear tests. Riparian woody species substantially increased soil cohesion after just four months of growth. Soil cohesion due to roots was 2.4 kPa for Silky Dogwood (<i>Cornus amomum</i>) and 1.6 kPa for Black Willow (<i>Salix negra</i>). The rapid stabilization suggests that consulting seasonal climate forecasts before performing stream restoration could prevent project failures due to extreme events. We are currently using the measured soil and root parameters to analyze bank stability under a range of conditions using slope stability modeling software (Slide). We are also investigating how high flow events impact recently restored streams by applying a river hydraulics model (HEC-RAS) to a stream in Alabama that was restored four months before high flows associated with Hurricane Irma. The model provides estimates of the sediment dynamics and flow velocity around in-stream structures. We plan to use the model to improve the design of instream structures to withstand and function properly during high flows.</p>
26	Rachel Billiot-Bruleigh, University of New Orleans, Haskell Environmental Research Studies	<p>Title: Lost Among the Skeletons: Mapping the potential for live oak ghost forests in Southeast Louisiana & exploring cultural losses</p> <p>Live oak forests in southeast Louisiana are largely fragmented and considered imperiled environments due to anthropogenic development and habitat change. Saltwater intrusion into freshwater forests, from human activity such as canal dredging and natural processes such as storm</p>

	Program (Professional)	flooding, contribute to ecosystem conversion and plant migration that changes environmental dynamics. Indigenous relationships with the land are at risk due to habitat conversion. In this study, I explored the biocultural importance of live oak forests for Indigenous communities in southeast Louisiana and how the relationship to these forests would be affected by saltwater intrusion. Using GIS imaging and overlay analysis, I mapped remnant old-growth forests in St. Bernard, Jefferson, and Plaquemines Parish and associated risk factors for saltwater conversion. Cultural relationships were explored through interviews and previous records of plant uses and burial sites. I found that live oak forests act as cultural protections for the way they provide food and medicinal plants, guard burial grounds, and shelter against intense heat or strong storms. As saltwater intrusion erodes ancestral mounds and kills off culturally important plants, ecological and cultural well-being are put at risk.
24	Jennifer Summers, University of Tennessee Knoxville (Student)	<p>Title: A century of change in a coastal marsh plant</p> <p>Rapid evolution might better enable species to cope with pressures arising from climate change, such as greater inundation and salinity exposure from sea level rise. Soil-stored seed banks are a largely untapped resource for assessing whether at-risk populations evolve in response to climate change corollaries. Prior work has shown that temporal patterns of population genetic variation can be reconstructed from plants resurrected from the century-long seed banks of the foundational coastal marsh sedge <i>Olneya</i>™s bulrush (<i>Schoenoplectus americanus</i>).</p> <p>In this study, we resurrected plants to test the hypothesis that <i>S. americanus</i> exhibits heritable variation in salinity and inundation tolerance, and that tolerance has shifted since the early 20th century. I recovered and germinated seeds from radionuclide-dated sediment to create ancestral (ca. 1900) and descendant (ca. 2000) cohorts for a common garden experiment. Ancestral and descendant cohorts contained nine genotypes each cloned out for multi-factorial treatments: exposure to an inundation stress gradient spanning a 60 cm range of elevation, fully crossed with contrasting salinity conditions (15 vs 0 ppt), and competition with a naturally co-occurring species (<i>Spartina patens</i>). Mean aboveground biomass production did not significantly differ between the ancestral cohort and descendant cohorts, though descendant plants exhibiting greater production. Descendant plants competed better than ancestral plants, producing greater biomass in competition treatments. Ancestral plants exhibited a higher mortality rate when compared to descendants, with mortality peaking at the deepest inundation. Interactions between salinity, competition and inundation had the largest effect on biomass. Cohort identity and individual were both factors in biomass responses to stressor exposure. For example, biomass variance differed, with ancestral plants exhibiting greater variance. These findings somewhat suggest that modeling marsh plant a</p>
12	Melody Hunter-Pillion, North Carolina State University (Professional)	<p>Title: Caribbean Oral History: Stories That Help Us Prepare For The Future</p> <p>Stories are tools. This project demonstrates the use of oral histories as powerful, yet often overlooked and underutilized tools in the Caribbean's ability to weather catastrophic storms, chronic ecological conditions, and climate change. By collecting and preserving oral histories, this project creates a repository of firsthand information that can be used by resource managers, and the community members they serve, as tools for future resiliency.</p> <p>During a 2018 Caribbean drought workshop in San Juan, Puerto Rico, an interdisciplinary team from N.C. State University and the University of Maryland collected the stories of nine individual resource managers from Puerto Rico and the U.S. Virgin Islands. Using oral history protocols, framed by the project's oral history adviser, the team conducted interviews in English and Spanish. The project's multimedia specialist recorded the interviews in video and audio formats. These recorded narratives share first person observations of people, animals, and plants during and after specific weather events. Testimonies also reveal the science needs of communities and resource managers by</p>

		<p>providing firsthand experiences, including identified gaps in resources as they occurred real-time during a climate crisis. We learn how narrators responded to gaps and how past narratives informed their experiences. Full interview transcripts and media files are accessible through the Digital Library of the Caribbean (dLOC). Users can access the dLOC repository through a portal on the project's NCSU website, which includes narrator's photographs and video vignettes. Through oral narratives, the past provide us with invaluable knowledge of weather, plants, animals, ecosystems, and natural and cultural resources. Each narrative is unique to an individual's lived experience and is perishable unless collected. Historical narratives serve as a tool, not only to learn about the past, but also to develop resiliency for the future.</p>
21	Jared Bowden , North Carolina State University (Professional)	<p>Title: Characterizing precipitation changes within Puerto Rico from high-resolution climate change model experiments: From challenges to possible opportunities for future freshwater resources</p> <p>A decline in the amount of future precipitation within the subtropics is a notable feature of global climate projections. However, global climate models are unable to resolve the complex climates of subtropical islands and known to underestimate rainfall intensity, and these model limitations pose many challenges for scientists concerned about climate impacts. This study dynamically downscales two global climate models at mid-century over Puerto Rico to better characterize precipitation changes in a warmer climate and help explain physical drivers associated these changes. The simulations reveal a plausible "elevational buffer" to the largescale subtropical precipitation decline – a relatively larger decline in the rainfall amounts for coastal regions compared to the inner-most and highest mountains. The "elevational buffer" is found to be more robust during the wetter season (May-October) compared to the dry season (November-April). Additionally, the "elevational buffer" is found to be closely associated with changes in the diurnal cycle with the largest reductions in mean rainfall during the afternoon hours for the lowest elevations. The frequency of the most intense rainfall does not significantly change with an exception of likely more intense rainfall associated with tropical cyclones, which are poorly represented in our downscaling experiment. Overall, these highresolution climate model experiments provide additional insight into climate change for Puerto Rico, and these experiments are likely useful to other scientists and managers wanting to explore various opportunities to adapt to likely more limited freshwater resources in the future.</p>
22	Jacob Rudolph , North Carolina State University (Student)	<p>Title: Heavy breathing after the storm: Lingering effects of extreme weather events on coastal carbon cycling</p> <p>Flooding from extreme weather events (EWE), such as hurricanes, exports large amounts of organic matter to estuaries and coastal waters globally. Recent evidence has shown that EWEs have been increasing in frequency and intensity and have major effects on the biogeochemistry of coastal ecosystems. In 2016, wetland-derived organic matter from Hurricane Matthew's floodwaters caused an immense impact to the Neuse River Estuary and Pamlico Sound in eastern North Carolina. Degradation of increased organic matter in coastal waters from extreme events like Matthew can lead to production of carbon dioxide (CO₂), which has implications for global carbon (C) cycling and coastal water quality and habitat. Examples include increased and sustained respiration of organic matter which contributes to hypoxia and acidification of coastal waters. Dissolved inorganic and organic C were quantified in the weeks following Hurricane Matthew across the Neuse River watershed to evaluate the effect of this storm on the coastal carbon cycle of the Nation's 2nd largest estuarine complex, Pamlico Sound. Over a period of 58 days following the hurricane's passage, we calculated that 7.82×10^{10} g C was exported to the Neuse River Estuary and Pamlico Sound. The vertical release of CO₂ from the estuary and sound was roughly a third of the lateral export: 7.88×10^{10} g CO₂. For context, the average annual CO₂ release from a single automobile is ca. 4.66×10^6 Gg CO₂. Thus, this single event released an amount of CO₂ equivalent to the annual release of roughly 17,000 automobiles, in just 15% of the time. Moreover, this event kept Pamlico Sound as a weak CO₂ source to the atmosphere in the weeks following the storm. Understanding how these</p>

		storms create lingering impacts to biogeochemistry and water quality of the Southeastern and Gulf coasts can help determine how societal and economic resources will be affected by EWE in the future.
29	Roberto Mera , North Carolina State University (Professional)	<p>Title: Applied Climate Experience at the NC State Climate Change and Society Program</p> <p>The Applied Climate Experience (ACE) is the capstone project for the CCS Master's degree. It is an opportunity for hands-on experience with a variety of hosts ranging from NOAA to communication leaders in the industry. We pair students with mentors from climate-sensitive fields at the beginning of the program in their desired field of study and career path. This exposes students to exciting opportunities to display their talents and network with potential employers. The ACE project is designed to be flexible for the student. The student may choose to work on it throughout the school year or limit it to the summer after classes have ended. Some of the current and past projects include adoption of policies by Environmental Advisory Boards in North Carolina, risk analysis for importations of fruit flies, investigating the scope and relevance of climate action at NC State University in drafting a second climate action plan, developing the SE CASC Tribal Resources Web App and Web page, transition from agricultural crops to solar power generation, oral histories of drought and extreme weather in the Caribbean, coastal resiliency against the threat of sea level rise and rising groundwater table and its implications for public health and safety at Nags Head, NC,</p>
27	Erica Henry , North Carolina State University (Professional)	<p>Title: Maintaining historic disturbance regimes increases species' resilience to catastrophic hurricanes</p> <p>As habitat loss and fragmentation, urbanization, and global climate change accelerate, conservation of rare ecosystems increasingly relies on human intervention. However, any conservation strategy is vulnerable to unpredictable, catastrophic events. Whether active management increases or decreases a system's resilience to these events remains unknown. Following Hurricane Irma's landfall in our habitat restoration study sites, we found that rare ecosystems with active, human-imposed management suffered less damage in a hurricane's path than un-managed systems. At the center of Irma's landfall, we found Croton linearis' (a locally rare plant that is the sole host for two endangered butterfly species) survival and population growth rates in the year of the hurricane were higher in previously managed plots than in un-managed controls. In the periphery of Irma's circulation, the effect of prior management was stronger than that of the hurricane. Marinating the historical disturbance regime thus increased the resilience of the population to major hurricane disturbance. As climate change increases the probability and intensity of severe hurricanes, human management of disturbance-adapted landscapes will become increasingly important for maintaining populations of threatened species in a storm's path. Doing nothing will only accelerate extinction.</p>
30	Brent Murry , US Fish and Wildlife Service (Professional)	<p>Title: Developing flow policies to balance the water needs of humans and wetlands requires a landscape scale approach inclusive of future scenarios and multiple timescales</p> <p>Wetlands may be particularly susceptible to altered flow regimes as they are directly impacted by water flows at a variety of time scales. In Puerto Rico, contemporary water management is decreasing freshwater recharge to wetlands and contributes to the salinization of important coastal wetlands as sea levels rise. Further, downscaled climate models predict an increase in drought frequency, intensity, and duration by mid-century. Conflicts over water allocation seem imminent between human and ecological needs. Current minimum flow policies are insufficient given the complexities of ecosystem processes and the changes in precipitation patterns and sea level rise that are expected in the future. Improved flow policies need to be established that reflect the functional relationships between specific representative ecological resources and components of the natural flow regime across all relevant time scales. Similarly, flow policies need to be developed within a landscape scale to implicitly address the socio-ecological trade-offs as well as the complexities of</p>

		water management. Multi-disciplinary collaborations will be essential for increasing our resiliency to anticipated future changes.
31	Kathryn Jewell, North Carolina State University (Student)	<p>Title: Emerging conservation priorities among directors and commissioners of wildlife agencies in the Southeast United States</p> <p>Wildlife conservation agencies in the Southeast United States have faced local challenges emerging from global phenomenon including rapid urbanization, declines in the proportion of hunters, and emerging wildlife diseases for several decades. Climate change is emerging as another global phenomenon with local impacts on wildlife conservation. The Southeast Climate Adaptation Science Center (SE-CASC) is a subset of the National Climate Adaptation Science Center, managed by the United States Geological Survey. Their purpose is to work with wildlife agencies to solve challenges associated with climate change. In order to determine how best the SE-CASC can serve in this role, we interviewed agency leaders and commissioners in SEAFWA states about critical conservation challenges they faced in recent decades, and plan to face in the future. We utilized a naturalistic qualitative approach. Preliminary results suggest urbanization of rural land and rural culture represents the most important challenge to wildlife conservation from the perspective of wildlife management leadership in SEAFWA states. Declining funding and relevancy of wildlife management was viewed as emerging from urbanization. Other critical issues included invasive species and wildlife diseases. These challenges were viewed as likely to persist into the future given rapid human population growth in the region. Climate change was not a common concern but was linked to other challenges including landscape fragmentation and water management challenges. These results suggest future climate science must be integrated with social and geographic aspects of urbanization to address core priorities for SEAFWA states.</p>
18	Tricia Kyzar, University of Florida (Student)	<p>Title: Challenges and Opportunities for Sustaining Southeastern US Coastal Wetlands and Oyster Reefs</p> <p>Estuaries are experiencing increasing pressure from encroaching development, altered watershed dynamics, rising seas, and increasing intensity, frequency, and duration of storm events. As populations in coastal areas swell the impacts of human activities; pollution, shoreline hardening, over harvesting, and other impacts are magnifying these pressures. With these rapidly changing inputs to already complex ecosystems it is difficult to identify the greatest threats. The goal of this study is to identify the most important threats to these ecosystems, the knowledge gaps relevant to these questions, and potential strategies for protection and management of coastal wetlands. To address these questions across the southeastern United States from Mississippi through North Carolina, population and land use data were analyzed, experts in estuary management and science were surveyed, and outcomes from stakeholder workshops were synthesized. Coastal counties in this region experienced an average increase of 26% in population density from 1996 to 2016. Correspondingly, surveyed experts reported that development, upstream alterations to freshwater flow, and shoreline hardening were among the most significant threats to these coastal ecosystems. Based on their input, improving the available science and opportunities for collaboration among resource managers will be key to improving and protecting estuarine habitats. Additionally, engaging people from all sectors (government, residents, businesses, visitors, etc.) will be vital to reducing human induced impacts and improving the health of these coastal environments as together we respond to the increasing pressures of global change.</p>
35	Lindsey Smart, North Carolina State University (Professional)	<p>Title: Participatory Mapping of Cultural Ecosystem Services Impacted by Coastal Squeeze</p> <p>Development and a rising sea squeeze coastal ecosystems, limiting their ability to provide a range of services that support human health and well-being. Accounting for all of these services leads to better-informed climate adaptation and planning decisions. However, cultural ecosystem services are particularly difficult to measure, value, and monetize, because they are by definition intangible and locally specific. We developed an iterative participatory mapping approach to identify and value</p>

		<p>cultural ecosystem services important to long-term residents of Johns Island in South Carolina, in order to give the same consideration to those as other ecosystem services that are more easily and more commonly mapped. We combined stakeholder-developed maps of cultural ecosystem services with geospatial modeling to assess threats to these services from urban sprawl and sea level rise. We also identified important opportunities to conserve and support adaptation in places that provide multiple ecosystem services. On Johns Island, cultural ecosystem services, which are often located near existing development, are more vulnerable to threats from both urbanization and sea level rise than provisioning or regulating services. The highest values for provisioning or regulating ecosystem services are found farther from these developed areas, limiting the spatial overlap between these different ecosystem services. However, there are specific locations important for both cultural and other ecosystem services, such as carbon sequestration, agricultural production, and coastal protection. We suggest that identifying these opportunities to protect both biophysical ecosystem services and locally-relevant cultural resources will be critical to the success of any forward-looking and equitable planning or adaptation policies.</p>
34	Jelena Vukomanovic, North Carolina State University (Professional)	<p>Title: Incorporating Stakeholder-Derived Conservation Priorities into Models of Coastal Land-use and Land Cover Change</p> <p>Rapid population growth in coastal South Carolina is exerting considerable development pressure on rural areas, threatening the Lowcountry's unique set of natural and cultural resources. Mitigating these threats requires development of appropriate planning strategies for both urban growth and conservation. These strategies should include local stakeholder perspectives in addition to expert knowledge, as a failure to include these perspectives can lead to ineffective and unpopular initiatives. Our goal was to co-develop conservation solutions for threatened natural- and working landscapes on Johns Island in coastal South Carolina. We used a combination of focus groups and participatory mapping workshops to identify the conservation priorities of long term residents on Johns Island. We used the narratives and maps of priorities from these exercises to develop three hypothetical conservation scenarios that include the following: (1)coastal protective services, (2) working lands, and (3) cultural ecosystem services. We implemented these scenarios in an urban simulation model (FUTURES) to examine alternate futures of development from 2010-2060. We evaluated the spatial patterns of development for all three scenarios and found that traditional conservation approaches, as reflected in the coastal protective services and working lands scenarios, do little to ameliorate the trade-offs between development and cultural ecosystem services. This indicates that we need to consider alternate conservation mechanisms that specifically target cultural ecosystem services if we are to address priorities related to the intangible benefits nature provides. Our findings suggest that the integration of stakeholder opinions and preferences into dynamic simulations of landscape-scale processes can serve as decision- support tools that aid in the development of more relevant, acceptable, and locally-specific policy instruments for resource protection.</p>
13	Michael Caslin, North Carolina State University (Student)	<p>Title: Forests After Florence: Application of 360° Photography and Oral History to Document Hurricane Impacts on Urban Forests and Communities in Coastal North Carolina</p> <p>With climate change, the increase in frequency of hurricanes has become the new normal. Academic commitments following a disaster are especially challenging. Prior research has demonstrated high rates of stress amongst students following natural disasters. Our aim is to promote science learning through community-engaged research as a pathway to persistence for disaster-impacted students. NC State University (NCSU), like many schools in North Carolina, has many students who were impacted by Hurricane Florence. Many are also low-income or from ethnic minority backgrounds. Research documents the importance of science learning that is connected with local communities and broader societal issues for student persistence. Students also value being able to apply STEM training to solve real world problems affecting their communities.</p>

		<p>Of the 4,797 NCSU students impacted in 2018, we selected 50 to participate in a learning experience focusing on student resilience and hurricane impacts in urban forests. Most students come from the coastal plain which is most susceptible to hurricane damage. Initial surveys found that 21.9% of students (N=110) indicated some level of impact ranging from moderate to substantial, 18.8% indicated major impacts, and 32.3% reported minor impacts. Students reporting a lower level of social integration experience the highest impact. The majority of students strongly agree that temperatures and frequency of hurricanes is likely to increase in the future. Most students also report a high affinity for a diversity of tree species in their neighborhood forest despite relatively moderate knowledge of the local species. During summer 2019, students documented damage to the forests in their communities through: 1. 360° photography at 566 sites, and 2. oral history interviews with community members. This combination of immersive visuals and oral history narratives helps us develop a rich understanding on how both communities and local ecosystems respond to hurricanes and how we build greater resilience.</p>
8	<p>Julie Whitbeck, Jean Lafitte National Historical Park and Preserve / National Park Service (NPS) (Professional)</p>	<p>Title: The Barataria elevation-hydrology array: a landscape scale tool for scientific understanding and resource management</p> <p>Aware of the rapid rate of relative sea level rise in the Mississippi River delta, and already observing increased flooding at the Preserve itself, in the mid 1990s park resource managers and ecological scholars prioritized understanding the consequences of increasing hydroperiod for the ecological integrity of the Preserve’s predominantly freshwater coastal wetlands. They sought tools that would enable observation of change over time and prediction of future change. In 1998, they established a 5 hectare research and monitoring plot in a mature bottomland hardwood ecosystem, spanning a 1 meter elevation gradient. In the next decade, scientists added more long-term research plots and a transect traversing the Preserve’s geological backbone.</p> <p>Here we introduce our newest tool, the elevation and hydrology monitoring array. The array consists of 13 stations established along a transect perpendicular to the Mississippi River distributary channel that shaped this landscape, plus 6 stations at key park infrastructure sites. The transect captures most of the geological, hydrological and ecological variation in the upper Barataria Basin. We have installed a benchmark rod, a surface marker horizon and a water level well at each station, and we have provided a surface elevation table collar for all but the floating marsh benchmarks. These stations leverage established vegetation monitoring plots, and they are augmented by a spatially-intensive array of water level loggers deployed across the area of greatest topographic relief and including an impounded area.</p> <p>Can these tools help the park prepare for changing conditions? With similar tools along coasts worldwide, can they inform coastal management at regional scales? How can they contribute to building scientific understanding? Using the Barataria Preserve as a case study, we describe our aspirations for learning from the elevation and hydrology array and from the portfolio of change-observing tools it joins.</p>
19	<p>Paul Armsworth, University of Tennessee, Knoxville (Professional)</p>	<p>Title: Predicting shifts in climatically suitable conditions for vertebrate species of the central and southern Appalachian mountains</p> <p>Ecosystems of the central and southern Appalachian mountains have a critical role to play in safeguarding US biodiversity. These ecosystems are rich in endemic species and will provide an important refuge and conduit for species moving to change track changing climatic conditions. We used environmental niche models to predict potential range shifts throughout the coming century of 258 amphibian, bird, mammal and reptile species within the region. We focused on species that depend on forested ecosystems and are of regional policy concern. In the aggregate, the models do not predict overall losses of climatically suitable conditions for species. However, this aggregate picture masks local declines. For example, the models predict pronounced losses of suitable habitat and turnover in community composition in the Blue Ridge and Cumberland Plateau and Mountains,</p>

		<p>particularly for amphibian and mammal species. We also correlated the outputs of the environmental niche models with an alternative approach focused on identifying climatically resilient sites based on geological and topographic conditions. We found a positive, if somewhat weak association, between an index of climate resiliency and present and future richness of mammals and amphibians predicted by the niche models. We found no associations between the two for birds and amphibians. This niche modeling work is part of a larger project that is taking a portfolio approach to future-proofing conservation strategies against uncertainty in potential climate shifts and in future land use change.</p>
33	Lise Montefiore, North Carolina State University (Student)	<p>Title: Integrating climate and land use change to capture historical water quality variability among coastal watersheds in the Southeast United States</p> <p>Changes in climate and land use and land cover (LULC) alter estuarine nutrient loads. Process-based water quality models are commonly used to assess how upstream changes in hydrology and land management influence downstream estuarine water quality. However, these models are data-intensive and computationally-expensive, which limits their applicability at large spatiotemporal scales. The present work aims to develop a model integration framework for use in estuarine eutrophication vulnerability assessments that accounts for eutrophication drivers including LULC and climate, as well as physiographic characteristics of estuaries that may make them susceptible to the effects of increased nutrient loading. A lumped-parameter water quality model was scaled and used to compute the historical nutrient loads for 25 coastal watersheds that drain to estuaries along the Southeast U.S. coasts. This model used the NRCS curve number method to estimate runoff as a function of net rainfall and LULC, and nutrient loading through a range of landscape-specific nutrient export coefficients. Model inputs included historical Multivariate Adaptive Constructed Analogs of climatic observations from 1975 to 2005 and the 2001 National Land Cover Databases. Estuaries' susceptibilities to eutrophication via nutrient loading were estimated based on total freshwater inflow and system geomorphology. Estimated nutrient loads were compared against the Regional Nutrient SPARROW Model Assessments, the 1999 National Estuarine Eutrophication Assessments, and observed nutrient load trends reported by the National Water Quality Assessment program. Results showed that the model was unable to capture exact nutrient loads in relation to SPARROW, but effective at ranking estuaries in terms of their nutrient loads. This finding demonstrates that the model offers utility for qualitative determination of estuarine eutrophication potential.</p>
36	Emily Reed, North Carolina State University (Student)	<p>Title: Landscape Genetics of an Invasive Species in an Urban-Rural Landscape</p> <p>Urban ecosystems can facilitate all stages of the invasion process. A wealth of historic literature provides evidence into the importance of cities for introduction of invasive species, and recent research has focused on the contribution of urban systems to their successful establishment and spread, especially considering global climate and land-use change. Landscape genetic studies can reveal how anthropogenic features drive dispersal and gene flow in invasive populations. I explore the impact of urban landscapes on gene flow in the tiger mosquito <i>Aedes albopictus</i>, one of the most successful invasive species across the globe. I collected mosquitoes across Wake County, North Carolina as part of a statewide survey monitoring <i>Aedes</i> mosquito populations and assemblages. I sampled 15 locations over 11 weeks using egg traps and built genomic libraries of 192 <i>Ae. albopictus</i> individuals using double digest restriction-site associated DNA sequencing (ddRADseq). I collected spatial data to characterize landscape features across the county from Wake County Government, NC Department of Transportation, and USGS National Land Cover Database. With these data, I built resistance surfaces to test hypotheses about how landscape features influence <i>Ae. albopictus</i> gene flow and dispersal. I found that developed open spaces (mostly vegetated lawns, parks, & golf courses) facilitated gene flow, while impervious surfaces acted barriers to gene flow. This research contributes to a growing body of work that demonstrates how genetic data can enhance our knowledge of how environmental processes affect dispersal, distribution, and evolution of invasive</p>

		species at fine scales. These studies can improve existing programs for controlling invasive species and will help fill knowledge gaps needed for effective, adaptive management.
16	Haofan Li , North Carolina State University (Student)	<p>Title: Hourly PM2.5 Concentration Modeling for Kigali, Rwanda Using Historical Meteorological Data from August to December 2017</p> <p>Ambient air pollution, especially fine particulate matter (PM2.5) and ozone (O3), is highly associated with premature human mortality. The World Health Organization (WHO) estimates that in 2016, ambient air pollution caused about three thousand deaths in Rwanda. Measurement of these parameters is the first step towards reducing pollution, but air pollutants monitoring is scarce to non-existent in large parts of Africa. In Rwanda, major air pollution sources can be expected to include transportation, thermal power generation, and domestic biofuel use, as well as regional biomass burning and dust, where residential bio-fuel burning for cooking is reported to be one of the main contributors of PM2.5. To identify what portion of PM2.5 is coming from residential biomass burning (stove cooking using charcoal and wood), this research focused on using a computational box model to estimate the PM2.5 concentration over Kigali, Rwanda only due to stove cooking. Then use the modeled data to compare with on-site PM2.5 measurements from low cost sensors (RAMPs), to conduct PM2.5 source apportionment for Kigali. The model utilizes hourly historical meteorological data (windspeeds and PBL heights) from GMAO satellite data from August 1st 2017 to December 31st 2017, to model the hourly PM2.5 Concentration for the time frame. The model was able to identify about 2/3rd of the PM2.5 emission is from residential stove cooking, and the rest is traffic related PM2.5 emissions. This modeling research is a component of a big picture air pollution in Kigali research, and the paper has been submitted to and currently being reviewed by Atmospheric Environment.</p>
20	Jennifer Costanza , North Carolina State University (Professional)	<p>Title: The Future of America's Forests and Rangelands: An Overview of the Resources Planning Act Assessment</p> <p>The Forest and Rangelands Renewable Resources Planning Act (RPA) of 1974 requires the USDA Forest Service to prepare an assessment of renewable natural resources on the nation's forests and rangelands every 10 years. The RPA Assessment provides a snapshot of current U.S. forest and rangeland conditions and trends on all ownerships, identifies drivers of change, and projects conditions 50 years into the future. Resources covered in the RPA Assessment include forests, rangelands, urban forests, forest products, carbon, wildlife and fish, biodiversity, outdoor recreation, wilderness, and water.</p> <p>The RPA Assessment examines how the interaction of economic, social, and biophysical factors affect the productivity of forest and rangeland ecosystems, and their ability to meet increasing demands for goods and services. By developing spatially explicit scenarios of socioeconomic and climatic change, scientists can project how these changes influence ecological processes and alter future resource availability. Many of the individual resource analyses provide information at the State, County, and sub-County scales, offering a science-based, nationally consistent resource that can inform policy choices and natural resource decisions for public and private land managers.</p> <p>Recent RPA Assessments and Updates have shown that the interaction of socioeconomic and biophysical drivers “including land development, climate change, and natural disturbances” continue to influence the extent, pattern, and conditions of forest and rangeland ecosystems, and their ability to meet increasing demands for goods and services. These effects vary regionally and locally, requiring flexible adaptation and management strategies.</p> <p>In addition to the decadal report and associated 5-year updates, supporting documents are produced with more detailed information about methods and results. RPA Assessment documents are available at: https://www.fs.fed.us/research/rpa/.</p>

7	Shubhi Sharma, Duke University (Student)	Title: Generative models for community reorganization under climate change Niche models are essential tools in predictive ecology, often used to predict impact of climate change on species distribution. For example, niche models can be used to track expansion of species ranges to northern latitudes, one of the earliest signs of a warming world. Recently, a new set of models have become the centerpiece of this effort. Technological and statistical advances have enabled a class of multivariate models that allow ecologists to jointly model abundance of species across multiple taxa, therefore incorporating response of abundance to environmental predictors while accounting for inter-specific interactions. Joint models are used for several purposes in ecology such as estimating residual correlation patterns, grouping species by environmental response, and quantifying effect size of abundance-environment relationships. We specify a joint statistical model for abundance across many taxa, and hence predict in a single model the effect of environmental predictors on abundance, while accounting for inter-specific interaction. Using this model, we estimate relative-abundance weighted habitat suitability for over 300 species of birds, trees, carabids, and small mammals under climate change scenarios RCP 4.5 and RCP 8.5 for two future time periods (2049-2069 and 2079-2099). In our analysis, we incorporate two sets of predictors: climate variables and remote sensing derived variables. The results of this analysis are used to create a webtool that allows users to plot current and future predicted habitat suitability of a species of interest, compare habitat suitability of multiple species, compare climate and remote sensing models, and plot community shifts for multiple groups of species under climate change scenarios.
10	Casey Thornbrugh, United South and Eastern Tribes (Professional)	Title: BIA Tribal Climate Resilience Liaison Program
9	Suresh Subedi, US Geological Survey (Professional)	Title: Predicting the impacts of future sea level rise on specialist snake species in the imperiled pine rockland ecosystem of South Florida Predicting the impacts of future sea level rise on specialist snake species in the imperiled pine rockland ecosystem of South Florida Suresh Subedi Abstract: Pine rockland habitats have undergone a significant reduction in area in the Florida Keys. Low-lying islands and coastal areas are becoming increasingly vulnerable to high tide flooding, which is rapidly increasing in frequency, depth and extent, making these areas and the pine rockland habitat they contain at particular risk to the threat of sea level rise. I evaluated changes in habitat under future sea level rise conditions for two native snake species, Rim Rock Crowned snake (<i>Tantilla oolitica</i>) and Key Ringneck snake (<i>Diadophis punctatus acrinus</i>), both of which are state-listed endangered species and are under consideration for federal listing. I used recent and historical species records to determine the current extent of available habitat in South Florida. I then predicted habitat loss and/or degradation under various regional sea level rise and projected high tide scenarios in their current habitat in south Florida (mainland and Florida Keys). My results predict that salt water intrusion will negatively affect upland habitat by 2050 with 80% of the existing pine rockland habitat degraded with 42 cm of sea level rise. Moreover, short-term stochastic events, such as storm surge and king tides, will increasingly inundate the root zone of pine and other terrestrial vegetation before complete inundation. My results further predict that most of the terrestrial habitat used by these species will be underwater by 2080, indicating that sea level rise will likely change current pine rockland habitat into more halophytic habitat (mangrove or salt marsh wetland) in about 50 to 60 years. Therefore, immediate mitigation actions may be needed to conserve upland habitat for specialist species where they are threatened by detrimental habitat modification global climate change.
11	Ashlyn Shore, Southeast Climate	Title: Tribal Resources WebApp

	Adaptation Science Center (Professional)	In alignment with the SE CASC's objective of working with Tribal Nations and Indigenous Communities to better understand their specific vulnerabilities to climate change and to help them adapt to these impacts, this tool has been developed to provide fundamental resources for climate change adaptation that consider traditional knowledges. Currently, there is not an efficient way for Tribal Nations nor researchers to find resource contacts, information on various Tribal Nations, or initial climate change data. This tool resolves that deficit by providing a web-based platform that hosts climate adaptation resources and general resources for and about Federally Recognized Tribes and State Recognized Tribes. In addition, this tool is valuable for traditional western scientists interested in informing themselves about Tribal Nations and incorporating traditional knowledge into climate change adaptation. The webpage, https://secasc.ncsu.edu/tribal-resources/ contains an interactive click-map of climate adaptation resources considering traditional knowledges for Tribes that can guide and supplement adaptation decisions. Also hosted on this page is the Tribal Resources WebApp which contains geographic information about State and Federally recognized Tribes in the southeast, including web links to connect users with a first-hand account of the Tribe's story. Additionally, phone and email information for designated Tribal points of contact are highlighted to link users with relevant Tribal climate change adaptation experts.
4&5	James Cronin, U.S. Geological Survey (Professional)	<p>Title: Quantitative, spatial decision support tools for establishing Brown Pelican, Black Skimmer, and Gull-billed Tern habitat objectives</p> <p>Quantitative, spatial decision support tools for establishing Brown Pelican, Black Skimmer, and Gull-billed Tern habitat objectives. James Patrick Cronin^{1*}, Blair E. Tirpak^{1*}, Leah L. Dale^{2*}, Virginia L. Brink^{2*}, John M. Tirpak^{3*}, William G. Vermillion^{4*}, and Barry C. Wilson^{4*}. ¹U.S. Geological Survey, Wetland and Aquatic Research Center; ²Cherokee Nation Technology Solutions, in support of the U.S. Geological Survey; ³U.S. Fish and Wildlife Service; ⁴Gulf Coast Joint Venture, U.S. Fish and Wildlife Service * Street address of all offices is 700 Cajundome Blvd, Lafayette, LA 70506 Restoration programs for the Gulf of Mexico are increasingly funding coastal habitat managers to implement a variety of restoration actions to meet species needs and recover injuries. There is uncertainty about the ability of these management actions to achieve population objectives because species are often stressed by factors that interact and differentially influence them across large scales (e.g., habitat loss and degradation, predation, and human disturbance). This challenge makes it difficult for managers to establish habitat objectives and translate them into the actions necessary to meet population objectives. In this study, we developed interactive quantitative, spatial models that predict the number of nests for Brown Pelican (<i>Pelecanus occidentalis</i>), Black Skimmer (<i>Rynchops niger</i>), and Gull-billed Tern (<i>Gelochelidon nilotica</i>) at sites across the Northern Gulf of Mexico. We then used both the modeling results and established population objectives to derive habitat objectives for each species. Visitors to our demonstration booth will be able to run model scenarios and inspect spatial outputs. The findings and conclusions in these tools are those of the author(s) and do not necessarily represent the views of the U.S. Geological Survey or the U.S. Fish and Wildlife Service.</p>
1	Katie Warnell, Nicholas Institute for Environmental Policy Solutions, Duke University (Professional)	<p>Title: Ecosystem Service Map Products to Support Conservation Planning</p> <p>Ecosystem services, the benefits that people receive from nature, provide an additional lens through which to view landscape conservation and restoration. By considering how management actions affect ecosystem services, managers can engage new partners, plan projects to maximize total benefits for stakeholders, and more effectively communicate the value of management to decision makers. Through our work with the Southeast Climate Adaptation Science Center, we have mapped several ecosystem services at the landscape level across the southeastern United States. These maps incorporate both the supply of ecosystem services (where ecosystems have the capacity to provide a service that could be of use to people) and the demand for those services (where people or other entities use or appreciate the service). We use this information to identify target areas for</p>

		conservation and restoration at the regional scale. Map products for several ecosystem service analyses, including wild pollination, recreational birding, and open space access, are now available for download from ScienceBase. Products include regional priority areas at the county and watershed levels as well as underlying information that enables users to refine the prioritization for specific areas of interest. During this tool demonstration, we will show how ecosystem services map products can be used individually, in combination, and alongside other spatial conservation information to guide planning and communication about landscape-level conservation. We look forward to hearing your ideas about how ecosystem services mapping could inform your work and welcome your feedback about how we can make these products more useful to the SE CASC community.
14	Karen McNeal , Auburn University (Professional)	Title: Eye-Tracking for Understanding Climate Decision Support Tools Eye-tracking technology is a robust tool that allows the researcher to understand where and for how long a user is attending to various features of visual stimuli. It tracks a users' eye-movements on a screen or in the real-world to analyze their interactions with a wide range of information. It can be used to evaluate decision support systems that are developed to help managers understand the impacts of climate change for their specific needs. Researchers at Auburn University are using this technology for past and on-going projects with the SECASC. Come by to check out this technology yourself!
15	Beth Stys , Florida Fish and Wildlife Conservation Commission (Professional)	Title: Florida Conservation Planning Atlas The Florida Conservation Planning Atlas (CPA) is a data discovery, visualization, and analytical platform for stakeholders throughout Florida. The CPA was developed to create a common platform to increase collaboration based on the Florida Conservation Blueprint "representing landscape conservation priorities and actions that sustain natural and cultural resources. With the Florida CPA users can search for spatial datasets, visualize supported projects, and learn more about landscape scale conservation science and design in the region. The CPA also allows its users to create groups of members from several organizations who may have the same conservation goals. Within a group, you can perform analyses, upload data, and share information for other group members to use. Tools found on the CPA include the Climate Adaptation Explorer, Conservation Actions Tracker, Fire Map Viewer, Simple Map Viewer and Advanced Mapper. The Climate Adaptation Explorer (CAE) provides information about climate impacts to Florida's species and habitats along with actionable adaptation strategies to help mitigate those impacts. The Conservation Actions Tracker (CAT) helps the user capture and share conservation actions, such as restoration projects. The Fire Map Viewer allows the user to view and explore the foot prints of fires occurring across the state of Florida. These fire foot prints can be queried against multiple datasets, including land cover, species habitat, and management ownership. The Simple Map Viewer provides a simple way to explore conservation data across Florida at the watershed level, including Florida's conservation assets, species, and other conservation priorities. You can use this tool to find watersheds with the highest priorities based on your criteria. The Advanced Mapper empowers the user to combine and overlay spatial data from many sources, including conservation priorities, species, and habitat information within Florida.
2	Rachel Kirpes US Fish & Wildlife Service (Professional)	Title: Strategic Conservation Assessment of Gulf Landscapes tools Strategic Conservation Assessment of Gulf Landscapes The Strategic Conservation Assessment of Gulf Landscapes (SCA) project is led through a cooperative partnership between Mississippi State University and the U.S. Fish and Wildlife Service, in direct collaboration with a core team of RESTORE Council agency representatives, conservation planners, as well as the broad community of

		<p>stakeholders representing non-governmental conservation organizations, corporate entities, and private landowners with interest in Gulf Coast Conservation. The goal of the SCA project is to develop land conservation planning tools that will enable users to identify the multitude of benefits that can be achieved through conservation of Gulf Coast lands. We will have two tools for users to test drive at the Southeast Climate Adaptation Science Center Regional Symposium including an Inventory of Gulfwide Plans and Priorities and a Gulf Coast Conservation Prioritization Tool (CPT). The Gulf Coast Conservation Prioritization Tool (CPT) has as its primary audience the members of the RESTORE Council. However, the tools are relevant to the broad land conservation community, including land trusts, federal and state agencies, nongovernmental organizations as well as private industry. The CPT is a project evaluation tool that will enable a user to evaluate a proposed conservation project or suite of projects. The tool requires users to identify a project footprint or area of interest and offers users multiple pathways for project evaluation. Individual users can prioritize the goals and attributes that reflect their values and evaluate projects accordingly or can utilize a randomly generated weighting scheme to evaluate how well the project areas meet all goals and priorities. PRESENTER: Jennifer Roberts Mississippi State University jennifer.roberts@msstate.edu</p>
3	Rene Collini , NGOM Sentinel Site Cooperative/Mississippi State University/MS AL Sea Grant (Professional)	<p>Title: New Localized Two-Pagers for Gulf of Mexico Federally-Managed Lands</p> <p>Federally-managed lands along the Gulf of Mexico coast are highly vulnerable to sea-level rise. In some areas, high rates of relative sea-level rise are already negatively impacting critical coastal habitat and infrastructure. Without locally-relevant information on the range of potential future sea levels and their impacts, it is very difficult to adequately develop long-term plans for federally-managed parks, reserves, and preserves along the Gulf Coast. A recently released dataset (Sweet et al., 2017) provides regional (1 degree latitude x 1 degree longitude) projections of future relative sea-level rise, taking into account climatic signals and vertical land motion. These data, while extremely valuable, were not easily accessible or translatable. Our project team adapted existing two-pagers available for these data to specifically address federally-managed lands across the Gulf of Mexico (e.g., National Wildlife Refuges, National Parks, National Estuarine Research Reserves). As sea levels rise, coastal flooding will become more frequent and occur in more places. In addition to the potential effects on low-lying roads, buildings, and infrastructure, sea-level rise is expected to lead to more nuisance flooding and increased saltwater intrusion, which may transform many coastal ecosystems. Under higher sea-level rise scenarios, some ecosystems may be lost, while others may move upslope at the expense of less flood- or salt-tolerant ecosystems. Our demo will cover where these two pagers can be found and how they can inform discussions around sea-level rise preparedness and planning.</p>
6	Kathie Dello , State Climate Office of North Carolina (Professional)	<p>Title: The Fire Weather Intelligence Portal</p> <p>The Fire Weather Intelligence Portal (FWIP), accessible at https://climate.ncsu.edu/fwip/, is a real-time monitoring tool for weather and fire risk information developed by the State Climate Office of North Carolina. The FWIP offers easy access to past, current, and short-term forecast conditions for a variety of point-based weather parameters measured or calculated using weather station observations, along with gridded datasets such as high-resolution weather, drought, and fire danger indices. Originally created with support from the North Carolina Forest Service beginning in 2011 and expanded across the southeastern US in 2017 with support from the USDA Southeast Regional Climate Hub, the FWIP has been used by foresters, land managers, and state and federal agencies across the region to plan prescribed burns, analyze historical conditions affecting burn success, and track environmental indicators of drought and fire danger, including National Fire Danger Rating System indices. Development of the FWIP is ongoing, with recent and planned additions including organic soil moisture monitoring observations from four sites in eastern North Carolina, atmospheric dispersion and stability parameters calculated using the National Blend of Models forecasts, and data from the National Weather Service's Fire Weather Forecast products.</p>

32	David Reidmiller USGS	NCA 4
28	Rachel Sussman Global Change Fellows Program (Student)	<p>Title: Global Change Fellowship Program</p> <p>The Global Change Graduate Fellows Program is designed to train the next generation of global change scientists by providing financial, scientific, and professional development support for graduate students who are interested in multi-disciplinary research. They come together across disciplines to discover, collaborate, and share their knowledge with diverse stakeholders. This program is sponsored by the DOI Southeast Climate Adaptation Science Center and NC State University.</p>
37	Kate Jones Global Change Fellows Program (Student)	<p>Title: Southeast Climate Adaptation Science Center</p> <p>The Southeast Climate Adaptation Science Center is part of a network of eight Climate Adaptation Science Centers managed by the U.S. Geological Survey National Climate Adaptation Science Center. We work with natural and cultural resource managers to gather the scientific information and build the tools needed to help fish, wildlife, and ecosystems adapt to the impacts of changing climate and land use.</p>

WORLD CAFÉ

Format: After a brief introduction, participants choose a table of interest to join for discussion according to the Table Topic. After 15 minutes, participants will rotate from that table to another table of their choice. This process will continue for 7 rounds.

Topical Tables:

<u>Table #</u>	<u>Table Topic</u>
1	<p>Evaluation of Adaptation Science and Management Focus Groups</p> <p><i>Are you a natural or cultural resource manager who considers climate science information in your management decisions? Are you a researcher or research coordinator who works on climate science projects? Participate in discussions with a SE CASC working group to provide input on what information, products, and outcomes are most useful to stakeholders in their roles as resource managers when considering CASC science projects.</i></p> <p>Researcher/ SCIENCE PRODUCER Focus Group: Lindsey Maudlin, Paul Armsworth, Kathryn Jewell, Ashlyn Shore</p>
2	<p>Evaluation of Adaptation Science and Management Focus Groups</p> <p><i>Are you a natural or cultural resource manager who considers climate science information in your management decisions? Are you a researcher or research coordinator who works on climate science projects? Participate in discussions with a SE CASC working group to provide input on what information, products, and outcomes are most useful to stakeholders in their roles as resource managers when considering CASC science projects.</i></p> <p>Stakeholder / SCIENCE USER Focus Group: Stephanie Courtney, Karen McNeal, Haven Cashwell</p>
3	<p>SOCIAL SCIENCE IDEA GENERATORS</p> <p><i>Interested in addressing coastal resilience with social scientists? At these "idea generator" tables, we will be hosting discussions with SE CASC stakeholders to explore how social science research can help inform coastal resilience challenges and decision-making. Please come visit us with specific issues and we will help you generate social science research questions. We will also have access to breakaway tables to dive deeper into flourishing ideas that emerge during the initial discussions. *Note: these idea generators can include discussions about interdisciplinary approaches to coastal resilience (we are all firmly committed to broader systems-thinking)</i></p> <p>Natural & Cultural Resources: Ramesh Poudyal (Fish & Wildlife Resources), Carole Nash (Archeological Resources), Erin Seekamp (Cultural Resources)</p>

4	<p>SOCIAL SCIENCE IDEA GENERATORS</p> <p><i>Interested in addressing coastal resilience with social scientists? At these "idea generator" tables, we will be hosting discussions with SE CASC stakeholders to explore how social science research can help inform coastal resilience challenges and decision-making. Please come visit us with specific issues and we will help you generate social science research questions. We will also have access to breakaway tables to dive deeper into flourishing ideas that emerge during the initial discussions. *Note: these idea generators can include discussions about interdisciplinary approaches to coastal resilience (we are all firmly committed to broader systems-thinking)</i></p> <p>Communities & Stakeholders: Chris Burton (Measuring Risk), Gerard Kyle (Hazard Vulnerability), Lindsey Smart (Communicating Risk)</p>
5	<p>SOCIAL SCIENCE IDEA GENERATORS</p> <p>Breakaway Table - Natural & Cultural Resources</p>
6	<p>SOCIAL SCIENCE IDEA GENERATORS</p> <p>Breakaway Table - Communities & Stakeholders</p>
7	<p>Major Modes of Science Communication</p> <p><i>What ways have you used to communicate your science results? Brainstorm new ways to effectively get your science findings to your target audiences and discuss examples and resources. You will also take part in a sticky-note-storm on where you go to get informed on breaking scientific research and new tools in your field.</i></p> <p>Steve Midway, Michelle Jewell</p>

Organizational Tables:

Objectives

- Learn about a specific organization's mission or objectives and specific focal areas of interest to SE CASC researchers and partners
- Brainstorm ways that SE CASC science can complement or enhance this program
- Identify/discuss potential direct funding opportunities or other collaboration opportunities related to this organization or initiative

<u>Table #</u>	<u>Table Topic</u>
8	<p>Gulf Coast Ecosystem Restoration Council (RESTORE)</p> <p>Jessica Henkel</p>
9	<p>NOAA Mississippi-Alabama Sea Grant Consortium (MS-AL Sea Grant Consortium)</p> <p>Rene Collini</p>
10	<p>American Society of Adaptation Professionals (ASAP)</p> <p>Lily Swanbrow Becker</p>

11	Southern Climate Impacts Planning Program (SCIPP) Vinny Brown
12	USDA Southeast Climate Hub (SERCH) Emrys Treasure
13	Southeast Regional Partnership for Planning and Sustainability (SERPPAS) Todd Hopkins, Jennifer Fawcett
14	
15	